



ALVI Officine Meccaniche E. Viazzo & C. s.r.l.
S.S. 230 n. 49 - 13030 CARESANABLOT (VC) - ITALIA
Tel. +39 0161 234600 - Fax +39 0161 234633
E-mail: info@alvi-italia.com - www.alvi-italia.com

BA 20 2+2

RABA200N001

Anodized light alloy truck

Body in AlMg3 light alloy sheet, anodized (10 micron). Ribbed not perforated walls, upper rim dia. 20 mm with inner strengthening. Bottom light alloy frame. All around light alloy buffer. 2 fixed and 2 swivelling wheels with non-marking rubber ring and zinc-plated housings.



| | |
|----------------------------|-----------------------|
| Internal dimensions | 1000 x 500 x 610 mm h |
| External dimensions | 1030 x 530 x 770 mm h |
| Capacity | 305 l |
| Weight | 16,70 kg |
| Wheels diameter | 100 mm |
| Wheels position | 2+2 |

BA 20 2+2

RABA200N003

Anodized light alloy truck

Body in AlMg3 light alloy sheet, anodized (10 micron). Ribbed not perforated walls, upper rim dia. 20 mm with inner strengthening. Bottom light alloy frame. All around light alloy buffer. 2 fixed and 2 swivelling wheels with non-marking rubber ring and zinc-plated housings.





ALVI Officine Meccaniche E. Viazzo & C. s.r.l.
S.S. 230 n. 49 - 13030 CARESANABLOT (VC) - ITALIA
Tel. +39 0161 234600 - Fax +39 0161 234633
E-mail: info@alvi-italia.com - www.alvi-italia.com

| | |
|----------------------------|-----------------------|
| Internal dimensions | 1000 x 600 x 610 mm h |
| External dimensions | 1030 x 630 x 770 mm h |
| Capacity | 366 l |
| Weight | 17,80 kg |
| Wheels diameter | 100 mm |
| Wheels position | 2+2 |

BA 20 2+2

RABA200N009

Anodized light alloy truck

Body in AlMg3 light alloy sheet, anodized (10 micron). Ribbed not perforated walls, upper rim dia. 20 mm with inner strengthening. Bottom light alloy frame. All around light alloy buffer. 2 fixed and 2 swivelling wheels with non-marking rubber ring and zinc-plated housings.



| | |
|----------------------------|----------------------|
| Internal dimensions | 920 x 680 x 685 mm h |
| External dimensions | 950 x 710 x 875 mm h |
| Capacity | 428 l |
| Weight | 20,40 kg |
| Wheels diameter | 125 mm |
| Wheels position | 2+2 |



ALVI Officine Meccaniche E. Viazzo & C. s.r.l.
S.S. 230 n. 49 - 13030 CARESANABLOT (VC) - ITALIA
Tel. +39 0161 234600 - Fax +39 0161 234633
E-mail: info@alvi-italia.com - www.alvi-italia.com

BA 20 2+2

RABA20ON005

Anodized light alloy truck

Body in AlMg3 light alloy sheet, anodized (10 micron). Ribbed not perforated walls, upper rim dia. 20 mm with inner strengthening. Bottom light alloy frame. All around light alloy buffer. 2 fixed and 2 swivelling wheels with non-marking rubber ring and zinc-plated housings.



| | |
|----------------------------|-----------------------|
| Internal dimensions | 1300 x 700 x 610 mm h |
| External dimensions | 1330 x 730 x 805 mm h |
| Capacity | 555 l |
| Weight | 25 kg |
| Wheels diameter | 125 mm |
| Wheels position | 2+2 |

BA 20 2+2

RABA20ON007

Anodized light alloy truck

Body in AlMg3 light alloy sheet, anodized (10 micron). Ribbed not perforated walls, upper rim dia. 20 mm with inner strengthening. Bottom light alloy frame. All around light alloy buffer. 2 fixed and 2 swivelling wheels with non-marking rubber ring and zinc-plated housings.





ALVI Officine Meccaniche E. Viazzo & C. s.r.l.

S.S. 230 n. 49 - 13030 CARESANABLOT (VC) - ITALIA

Tel. +39 0161 234600 - Fax +39 0161 234633

E-mail: info@alvi-italia.com - www.alvi-italia.com

| | |
|----------------------------|-----------------------|
| Internal dimensions | 1300 x 700 x 685 mm h |
| External dimensions | 1330 x 730 x 880 mm h |
| Capacity | 623 l |
| Weight | 27 kg |
| Wheels diameter | 125 mm |
| Wheels position | 2+2 |