



**ALVI Officine Meccaniche E. Viazzo & C. s.r.l.**  
S.S. 230 n. 49 - 13030 CARESANABLOT (VC) - ITALIA  
Tel. +39 0161 234600 - Fax +39 0161 234633  
E-mail: info@alvi-italia.com - www.alvi-italia.com

**BA 20 F 2+2**

RABA2002002

Anodized light alloy perforated truck

Body in AlMg3 light alloy sheet, anodized (10 micron). Ribbed, perforated walls, upper rim dia. 20 mm with inner strengthening. Bottom light alloy frame. All around light alloy buffer. 2 fixed and 2 swivelling wheels with non-marking rubber ring and zinc-plated housings.



**Internal dimensions** 1000 x 500 x 610 mm h

**External dimensions** 1030 x 530 x 770 mm h

**Capacity** 305 l

**Weight** 16 kg

**Wheels diameter** 100 mm

**Wheels position** 2+2

**BA 20 F 2+2**

RABA2002004

Anodized light alloy perforated truck

Body in AlMg3 light alloy sheet, anodized (10 micron). Ribbed, perforated walls, upper rim dia. 20 mm with inner strengthening. Bottom light alloy frame. All around light alloy buffer. 2 fixed and 2 swivelling wheels with non-marking rubber ring and zinc-plated housings.





**ALVI Officine Meccaniche E. Viazzo & C. s.r.l.**  
S.S. 230 n. 49 - 13030 CARESANABLOT (VC) - ITALIA  
Tel. +39 0161 234600 - Fax +39 0161 234633  
E-mail: [info@alvi-italia.com](mailto:info@alvi-italia.com) - [www.alvi-italia.com](http://www.alvi-italia.com)

<b>Internal dimensions</b>	1000 x 600 x 610 mm h
<b>External dimensions</b>	1030 x 630 x 770 mm h
<b>Capacity</b>	366 l
<b>Weight</b>	17 kg
<b>Wheels diameter</b>	100 mm
<b>Wheels position</b>	2+2

**BA 20 F 2+2**

**RABA2002010**

**Anodized light alloy perforated truck**

Body in AlMg3 light alloy sheet, anodized (10 micron). Ribbed, perforated walls, upper rim dia. 20 mm with inner strengthening. Bottom light alloy frame. All around light alloy buffer. 2 fixed and 2 swivelling wheels with non-marking rubber ring and zinc-plated housings.



<b>Internal dimensions</b>	920 x 680 x 685 mm h
<b>External dimensions</b>	950 x 710 x 875 mm h
<b>Capacity</b>	428 l
<b>Weight</b>	19,50 kg
<b>Wheels diameter</b>	125 mm
<b>Wheels position</b>	2+2



**ALVI Officine Meccaniche E. Viazzo & C. s.r.l.**  
S.S. 230 n. 49 - 13030 CARESANABLOT (VC) - ITALIA  
Tel. +39 0161 234600 - Fax +39 0161 234633  
E-mail: info@alvi-italia.com - www.alvi-italia.com

**BA 20 F 2+2**

RABA2002006

Anodized light alloy perforated truck

Body in AlMg3 light alloy sheet, anodized (10 micron). Ribbed, perforated walls, upper rim dia. 20 mm with inner strengthening. Bottom light alloy frame. All around light alloy buffer. 2 fixed and 2 swivelling wheels with non-marking rubber ring and zinc-plated housings.



**Internal dimensions** 1300 x 700 x 610 mm h

**External dimensions** 1330 x 730 x 805 mm h

**Capacity** 555 l

**Weight** 23,90 kg

**Wheels diameter** 125 mm

**Wheels position** 2+2

**BA 20 F 2+2**

RABA2002008

Anodized light alloy perforated truck

Body in AlMg3 light alloy sheet, anodized (10 micron). Ribbed, perforated walls, upper rim dia. 20 mm with inner strengthening. Bottom light alloy frame. All around light alloy buffer. 2 fixed and 2 swivelling wheels with non-marking rubber ring and zinc-plated housings.





**ALVI Officine Meccaniche E. Viazzo & C. s.r.l.**

S.S. 230 n. 49 - 13030 CARESANABLOT (VC) - ITALIA

Tel. +39 0161 234600 - Fax +39 0161 234633

E-mail: [info@alvi-italia.com](mailto:info@alvi-italia.com) - [www.alvi-italia.com](http://www.alvi-italia.com)

<b>Internal dimensions</b>	1300 x 700 x 685 mm h
<b>External dimensions</b>	1330 x 730 x 880 mm h
<b>Capacity</b>	623 l
<b>Weight</b>	25,80 kg
<b>Wheels diameter</b>	125 mm
<b>Wheels position</b>	2+2